

Book Scanners

Robotic Upgrades Available





The NEWEST Dimension of Book Scanning is here!

SMA is proud to introduce the most comprehensive line of high end book scanners on the market. The entire SMA SCAN MASTER family is now the first product line in the world that can be upgraded to become a fully robotic page turning book scanner... Introducing the SMA ROBOSCAN.

The SMA SCAN MASTER is the most versatile book scanner available worldwide. The SCAN MASTER and ROBOSCAN are most commonly used for books, yet the scanners can easily convert to a flatbed scanner for newspapers, photographs, maps, architectural drawings and other documents.

Increased Performance

The SMA SCAN MASTER can be upgraded to a fully robotic page turning book scanner ROBOSCAN at anytime. Not only will your productivity dramatically increase with the ROBOSCAN, but the operator is able to handle multiple scanning stations or handle other tasks such as entering metadata or indexing.

V3D Scanning

All SMA SCAN MASTER and ROBOSCAN are equipped with a VISUAL 3D camera head. V3D technology significantly increases the depth of field and offers perfect digital reproductions.




Total Convenience

The SMA SCAN MASTER includes a motorized pull-out book cradle to handle large and heavy originals. The book cradle is equipped with pressure sensors allowing the operator to eliminate all pressure between the original and the glass. Operation can be easily engaged via the foot pedal, touch panel, mouse, or keyboard.

The Need for Speed

The SMA SCAN MASTER and ROBOSCAN were designed for applications where superior resolution quality and speed is critical. The utilized Gigabit Ethernet interface guarantees the highest possible image transfer rates resulting in increased productivity.

SMA



German Quality Innovation

Like all SMA scanners, the SCANMASTER operates independent of ambient light, bright sunlight or intense fluorescent ceiling light does not interfere in the scanning process. High quality images based on state of the art technology produces optical resolutions of up to 600 x 1200 dpi in bi-tonal, gray scale, and color. The SCAN MASTER utilizes LED lighting, completely free of any ultraviolet or infrared radiation, this guarantees harmless and uniform illumination to the original.

| Scanning Range $20^{\circ} x 25^{\circ}$ (508mm x 635mm) $25^{\circ} x 36^{\circ}$ (635mm x 925mm) $36^{\circ} x 50^{\circ}$ (915mm x 1270mm) $38^{\circ} x 48^{\circ}$ (965mm x 1220mm) Maximum Resolution 600 dpi color: 4 seconds 1200 dpi color: 8 seconds 1200 dpi color: 8 seconds 1200 dpi color: 8 seconds 1200 dpi color: 8 seconds 1200 dpi color: 7 seconds 1200 dpi color: 12 seconds 1200 dpi | | SCAN MASTER 2 ROBOSCAN 2 | SCAN MASTER 1 ROBOSCAN 1 | SCAN MASTER 0 ROBO UPGRADE N/A | SCAN MASTER 0 ROBOSCAN 0 |
|---|----------------------|--|-----------------------------|-----------------------------------|-----------------------------|
| Maximum Resolution1200 dpidpiScan Speed - Full Scan Area600 dpi color: 4 seconds 1200 dpi color: 8 seconds600 dpi color: 8 seconds 1200 dpi color: 16 seconds600 dpi color: 6 seconds 1200 dpi color: 16 seconds600 dpi color: 6 seconds 1200 dpi color: 12 secondsCamera SystemSealed and fully dust-proofLight SourceWhite LEDs, classified IEC 60825-1: class 1 free or IR and UV emissionScan Model/ Color AB/8 bit Gray Scale 16/8 bit Bi-TonalColor 48/8 bit Gray Scale 16/8 bit Bi-TonalInterfaceTCP/IP Protocol/Gigabit EthernetOperating SystemsWindows 2000 / XP / Vista / 7 / 8 / 10 / 11 / 12Included SoftwareMatorized, pull out, 35cmBook Cradle OptionsMotorized, pull out, 50cmOther OptionsTV Stand for Large Format MonitorAmbient Conditions33" x 33" x 41"47" x 41" x 41"Ori x 48" x 41"59" x 56" x 42" | Scanning Range | | | | |
| Scan Speed – Full Scan Area600 dpi color: 4 seconds 1200 dpi color: 8 seconds600 dpi color: 8 seconds 1200 dpi color: 16 seconds 1200 dpi color: 16 seconds 1200 dpi color: 12 secondsCamera SystemSealed and Fully dust-proofLight SourceWhite LEDs, classified IEC 60825-1: class 1 free or IR and UV emissionScan Model/ Color DepthColor 48/24 bit Color 48/8 bit Gray Scale 16/8 bit Bi-TonalInterfaceTCP/IP Protoc//Gigabit EthernetOperating SystemsWindows 2000 / XP / Vista / 7 / 8 / 10 / 11 / 12Included SoftwareMotorized, pull out, 35cmBook Cradle OptionsMotorized, pull out, 50cmOther OptionsTV Stand for Large Format MonitorAmbient Conditions33" x 33" x 41"47" x 41" x 41"67" x 48" x 41"Sor System StateS3" x 33" x 42" | | (508mm x 635mm) | (635mm x 925mm) | (915mm x 1270mm) | (965mm x 1220mm) |
| Full Scan Area1200 dpi color: 8 seconds1200 dpi color: 16 seconds1200 dpi color: 12 secondsCamera SystemSealed and fully dust-proofLight SourceWhite LEDs, classified IEC 60825 1: class 1 free or IR and UVScan Model/ Color PepthColor 48/24 bit Color 48/8 bit Gray Scale 16/8 bit Bi-TonalInterfaceTCP/IP Protocol/Gigabit EthernetOperating SystemsVindows 2000 / XP / Vista / 7 / 8 / 10 / 11 / 12Included SoftwareBatch Scan Wizard Other SoftwareSook Cradle OptionsMotorized, pull out, 35cmBook Cradle OptionsTV Stand for Large Format MonitorAmbient ConditionsTV Stand for Large Format MonitorAmbient Conditions33" x 33" x 41"47" x 41" x 41"67" x 48" x 41"59" x 56" x 42" | Maximum Resolution | 1200 dpi | | | |
| Camera SystemSealed and fully dust-proofLight SourceWhite LEDs, classified IEC 60825-1: class 1 free or IR and UV emissionScan Model/ Color DepthColor 48/24 bit Color 48/8 bit Gray Scale 16/8 bit Bi-TonalInterfaceTCP/IP Protocol/Gigabit EthernetOperating SystemsWindows 2000 / XP / Vista / 7 / 8 / 10 / 11 / 12Included SoftwareBatch Scan Wizard Other software options availableStandard Book CradleMotorized, pull out, 35cmBook Cradle OptionsTV Stand for Large Format MonitorAmbient ConditionsTV Stand for Large Format MonitorAmbient Conditions33" x 33" x 41"47" x 41" x 41"67" x 48" x 41"59" x 56" x 42" | | | | | · · · |
| Light SourceWhite LEDs, classified IEC 60825-1: class 1 free or IR and UV emissionScan Model/ Color PepthColor 48/24 bit Color 48/8 bit Gray Scale 16/8 bit Bi-TonalInterfaceTCP/IP Protocol/Gigabit EthernetOperating SystemsWindows 2000 / XP / Vista / 7 / 8 / 10 / 11 / 12Included SoftwareBatch Scan Wizard Other software options availableStandard Book CradleMotorized, pull out, 35cmBook Cradle OptionsTV Stand for Large Format MonitorAmbient ConditionsTemperature 41°F to 104°F (+5°C to +40°C) Humidity 20 to 80% (non-condensed)Dimensions (WxDxH)33" x 33" x 41"47" x 41" x 41"67" x 48" x 41"59" x 56" x 42" | Full Scan Area | 1200 dpi color: 8 seconds | 1200 dpi color: 8 seconds | 1200 dpi color: 16 seconds | 1200 dpi color: 12 seconds |
| Scan Model/ Color DepthColor 48/24 bit Color 48/8 bit Gray Scale 16/8 bit Bi-TonalInterfaceTCP/IP Protocol/Gigabit EthernetOperating SystemsWindows 2000 / XP / Vista / 7 / 8 / 10 / 11 / 12Included SoftwareBatch Scan Wizard Other software options availableStandard Book CradleMotorized, pull out, 35cmBook Cradle OptionsTV Stand for Large Format MonitorOther OptionsTV Stand for Large Format MonitorAmbient Conditions33" x 33" x 41"47" x 41" x 41"67" x 48" x 41"59" x 56" x 42" | Camera System | Sealed and fully dust-proof | | | |
| Color DepthColor 48/8 bit Gray Scale 16/8 bit Bi-TonalInterfaceTCP/IP Protocol/Gigabit EthernetOperating SystemsWindows 2000 / XP / Vista / 7 / 8 / 10 / 11 / 12Included SoftwareBatch Scan Wizard Other software options availableStandard Book CradleMotorized, pull out, 35cmBook Cradle OptionsMotorized, pull out, 50cmOther OptionsTV Stand for Large Format MonitorAmbient ConditionsTemperature 41°F to 104°F (+5°C to +40°C) Humidity 20 to 80% (non-condensed)Dimensions (WxDxH)33" x 33" x 41"47" x 41" x 41"67" x 48" x 41"59" x 56" x 42" | Light Source | White LEDs, classified IEC 60825-1: class 1 free or IR and UV emission | | | |
| Gray Scale 16/8 bit Bi-TonalInterfaceTCP/IP Protocol/Gigabit EthernetOperating SystemsWindows 2000 / XP / Vista / 7 / 8 / 10 / 11 / 12Included SoftwareWindows 2000 / XP / Vista / 7 / 8 / 10 / 11 / 12Included SoftwareBatch Scan Wizard Other software options availableStandard Book CradleMotorized, pull out, 35cmBook Cradle OptionsMotorized, pull out, 50cmOther OptionsTV Stand for Large Format MonitorAmbient ConditionsTemperature 41°F to 104°F (+5°C to +40°C) Humidity 20 to 80% (non-condensed)Dimensions (WxDxH)33" x 33" x 41"47" x 41" x 41"67" x 48" x 41"59" x 56" x 42" | | | | | |
| Bi-TonalInterfaceTCP/IP Protocol/Gigabit EthernetOperating SystemsWindows 2000 / XP / Vista / 7 / 8 / 10 / 11 / 12Included SoftwareBatch Scan Wizard Other software options availableStandard Book CradleMotorized, pull out, 35cmBook Cradle OptionsTV Stand for Large Format MonitorOther OptionsTV Stand for Large Format MonitorAmbient ConditionsTemperature 41°F to 104°F (+5°C to +40°C) Humidity 20 to 80% (non-cordensed)Dimensions (WxDxH)33" x 33" x 41"47" x 41" x 41"67" x 48" x 41"59" x 56" x 42" | Color Depth | | | | |
| Operating SystemsWindows 2000 / XP / Vista / 7 / 8 / 10 / 11 / 12Included SoftwareBatch Scan Wizard Other software options availableStandard Book CradleMotorized, pull out, 35cmBook Cradle OptionsMotorized, pull out, 50cmOther OptionsTV Stand for Large Format MonitorAmbient ConditionsTemperature 41°F to 104°F (+5°C to +40°C) Humidity 20 to 80% (non-comensed)Dimensions (WxDxH)33" x 33" x 41"47" x 41" x 41"67" x 48" x 41"59" x 56" x 42" | | | | | |
| Included SoftwareBatch Scan Wizard Other software options availableStandard Book CradleMotorized, pull out, 35cmBook Cradle OptionsMotorized, pull out, 50cmOther OptionsTV Stand for Large Format MonitorAmbient ConditionsTemperature 41°F to 104°F (+5°C to +40°C) Humidity 20 to 80% (non-comensed)Dimensions (WxDxH)33" x 33" x 41"47" x 41" x 41"67" x 48" x 41"59" x 56" x 42" | Interface | TCP/IP Protocol/Gigabit Ethernet | | | |
| Other software options availableStandard Book CradleMotorized, pull out, 35cmBook Cradle OptionsMotorized, pull out, 50cmOther OptionsTV Stand for Large Format MonitorAmbient ConditionsTemperature 41°F to 104°F (+5°C to +40°C) Humidity 20 to 80% (non-cordensed)Dimensions (WxDxH)33" x 33" x 41"47" x 41" x 41"67" x 48" x 41"59" x 56" x 42" | Operating Systems | Windows 2000 / XP / Vista / 7 / 8 / 10 / 11 / 12 | | | |
| Standard Book Cradle Motorized, pull out, 35cm Book Cradle Options Motorized, pull out, 50cm Other Options TV Stand for Large Format Monitor Ambient Conditions Temperature 41°F to 104°F (+5°C to +40°C) Humidity 20 to 80% (non-codensed) Dimensions (WxDxH) 33" x 33" x 41" 47" x 41" x 41" 67" x 48" x 41" 59" x 56" x 42" | Included Software | | | | |
| Book Cradle Options Motorized, pull out, 50cm Other Options TV Stand for Large Format Monitor Ambient Conditions Temperature 41°F to 104°F (+5°C to +40°C) Humidity 20 to 80% (non-condensed) Dimensions (WxDxH) 33" x 33" x 41" 47" x 41" x 41" 67" x 48" x 41" 59" x 56" x 42" | | | | | |
| Other Options TV Stand for Large Format Monitor Ambient Conditions Temperature 41°F to 104°F (+5°C to +40°C) Humidity 20 to 80% (non-condensed) Dimensions (WxDxH) 33" x 33" x 41" 47" x 41" x 41" 67" x 48" x 41" | Standard Book Cradle | Motorized, pull out, 35cm | | | |
| Ambient Conditions Temperature 41°F to 104°F (+5°C to +40°C) Humidity 20 to 80% (non-condensed) Dimensions (WxDxH) 33" x 33" x 41" 47" x 41" x 41" 67" x 48" x 41" 59" x 56" x 42" | Book Cradle Options | Motorized, pull out, 50cm | | | |
| Humidity 20 to 80% (non-condensed) Dimensions (WxDxH) 33" x 33" x 41" 47" x 41" x 41" 67" x 48" x 41" 59" x 56" x 42" | Other Options | TV Stand for Large Format Monitor | | | |
| Dimensions (WxDxH) 33" x 33" x 41" 47" x 41" x 41" 67" x 48" x 41" 59" x 56" x 42" | Ambient Conditions | | | | |
| Dimensions (WxDxH) 33" x 33" x 41" 47" x 41" x 41" 67" x 48" x 41" 59" x 56" x 42" | | | | | |
| | | | | | |
| Weight 155 lbs. 239 lbs. 330 lbs. 287 lbs. | Dimensions (WxDxH) | 33" x 33" x 41" | 47" x 41" x 41" | 67" x 48" x 41" | 59" x 56" x 42" |
| | Weight | 155 lbs. | 239 lbs. | 330 lbs. | 287 lbs. |

SMA

Meet the Rest of the Family!

SMA: The ideal supplier for complete solutions of scanning and preservation. For safely digitizing large originals, SMA offers a full line of large format flatbed scanners. If you have demand for long-term preservation, SMA offers an extensive line of Archive Writers.







ROBOSCAN Family

SMA proudly presents the ROBOSCAN, the first large format book scanner with automatic page turning function. Like all SMA scanners, the ROBOSCAN operates independent of ambient light and can be utilized in any lighting environment. The utilized Gigabit Ethernet interface guarantees the highest possible image transfer rates resulting in increased productivity. High quality images based on state of the art technology produce optical resolutions of up to 600 x 1200 dpi in bi-tonal, gray scale, and color.

SMA offers the most complete line of Archive Writers to backup your digital files. Save your essential data subject to long-term archiving requirements with minimum effort. Cost Effective: SMA Archive Writers do not require the use of proprietary microfilm; any standard silver halide microfilm will create superior image quality in bi-tonal, gray scale, and color. SMA products can be upgraded in the future as your requirements change. Film options available from 16mm to 16/35mm to microfiche.

Distributed in North America by: Analogue Imaging, LLC phone: 800-747-2026 email: sales@analogueimaging.com analogueimaging.com • sma-edocument.com

